
# ColourPoint MINI

Constant of the second

000

ALL DE LE DE

# Wireless Battery Powered Mini Uplighter Lithium Ion WDMX & Bluetooth enabled



For enhancing function rooms, adding a splash of colour to buildings up to 3 storeys, exterior and tree lighting and other artistic lighting from a small but powerful unit.

The units feature two RGBW quad colour LED arrays, running for 8 hours at full power. With Wireless DMX control for unit control from a lighting console and built in Bluetooth for later upgrade to operate from new CORE apps as they are launched.



## Benefits

- High intensity 15deg RGBW LED beam for lighting up to 3 storeys
- Outdoor rated IP65 for outdoor use
- Small and simple to use for non-technical users; display on top for ease of setup
- Effortless tilting head with straightforward knob adjustment
- Lightweight 1.7Kg and easy to hang with screw fitting in the base
- Aesthetically designed cylinder 'CORE' styling to complement exclusive venues
- UK manufactured with quality reliability and brand reputation

# Light Head

- 1200lumen output from dual quad chip RGBW arrays with 2kHz TV flicker free
- Easily tilt to 15deg with stable body using simple turn knob and internal mechanics
- 15deg beam angle with diffuser holder accessory to increase beam width

#### Power

- Powerful Lithium Ion internal battery lasts 8hrs on full brightness
- Charges individually, in 6-way or 12-way charging flight case or 6-way stacking crate
- May be individually powered from 24V PSU into base (available separately)
- 36W dual LED arrays/25W power consumption during charging

# Control

- In-built 63 Lee filter plus custom colours;
  6 colour chase sequences with fade control
- Wireless DMX Slave for lighting desk control with 1 unit per case as Master/ Slave unit
- Wireless Solutions W-DMX® for compatibility with full CORE range and other brands
- Integral Bluetooth (BLE) for app control from mobile phone/tablet as released
- Simple firmware upgrade using Bluetooth for future CORE software upgrade releases

## Mechanical

- External shroud available separately in
- polished stainless or custom painted
- Hanging point in base M10 for use as downlighter/PAR Can replacement
- Weight only 1.7Kg (no shroud); Dims 230.5mm (h) x 133mm (dia)
- Flight case 6-way: weight 35Kg; 580 (I) x 390 (w) x 485 (h)
  - 12-way: weight 52Kg; 730 (I) x 560
    - (w) x 493 (h) [1/4 truck pack]
  - 6-way crate: weight 20Kg; 600 (I) x
  - 400 (w) x 330 (h) [stackable]

### Accessories

- Order customised shrouds in your choice of colour
- Lens Mount & Diffusion Lenses
- Hanging bracket to hang ColourPoint from truss, marquee tent frames etc.
- ColourPoint Mini Bag



ColourPoint Mini Bag carries 4 units



Get In contact for more information https://www.corelighting.com sales@corelighting.com +44 1452 812 597

11